

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

CCBN21008-0101

Sample ID: G1K0384-01

Matrix: Hemp Products

Test ID: 5021014 Source ID:

Date Sampled: 11/23/21

Date Accepted: 11/23/21

Harvest/Prod. Date: 11/16/21 Periodic Caramels

Results at a Glance

Total THC: <LOQ (0.0153%) %

Total CBD: 0.2558 %

Total CBG: <LOQ (0.0138%) %

delta 9-THC: 0.0058 % PASS

CBN: 0.0513 % PASS





Eric Wendt Chief Science Officer - 11/24/2021



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

CCBN21008-0101

Sample ID: G1K0384-01

Matrix: Hemp Products

Test ID: 5021014 Source ID:

Date Sampled: 11/23/21

Date Accepted: 11/23/21

Harvest/Prod. Date: 11/16/21

Periodic Caramels

Potency Analysis Analysis Method/SOP: 215 Date/Time Extracted: 11/23/21 13:12 Batch Identification: 2148020 **Cannabinoids Profile** Cannabinoids LOQ (%) mg/g **Total THC** 0.0153 < LOQ 0.1 Total CBD 0.0159 2.558 Total CBG 0.0138 < LOQ 0.0 **THCA** 0.0005 < LOQ delta 9-THC 0.0005 0.058 THCV 0.0150 < LOQ 0. **THCVA** 0.0224 < LOQ CBD 0.0005 2.018 0.0005 **CBDA** 0.615 delta 9-THC 0.0 **CBDV** 0.0154 < LOQ CBDA 0.1 CBD 0.2 **CBDVA** 0.0212 < LOQ CBN 0.1 Total: 0.3 **CBN** 0.0138 0.513 **CBG** 0.0161 < LOQ 0.2 **CBGA** 0.0213 < LOQ CBC 0.0202 < LOQ

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877) Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt

Chief Science Officer - 11/24/2021



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2148020 - 215-Products

Blank(2148020-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
delta 9-THC	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
THCV	< LOQ	0.0150	%		11/23/21 13:12	11/23/21 21:20	
THCVA	< LOQ	0.0224	%		11/23/21 13:12	11/23/21 21:20	
CBD	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
CBDA	< LOQ	0.0005	%		11/23/21 13:12	11/23/21 21:20	
CBDV	< LOQ	0.0154	%		11/23/21 13:12	11/23/21 21:20	
CBDVA	< LOQ	0.0212	%		11/23/21 13:12	11/23/21 21:20	
CBN	< LOQ	0.0138	%		11/23/21 13:12	11/23/21 21:20	
CBG	< LOQ	0.0161	%		11/23/21 13:12	11/23/21 21:20	
CBGA	< LOQ	0.0213	%		11/23/21 13:12	11/23/21 21:20	
CBC	< LOQ	0.0202	%		11/23/21 13:12	11/23/21 21:20	

Reference(2148020-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
delta 9-THC	90.3	0.0005	%	80-120	11/23/21 13:12	11/23/21 21:43	
CBD	97 7	0.0005	%	80-120	11/23/21 13:12	11/23/21 21:43	





Eric Wendt Chief Science Officer - 11/24/2021



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

ATM	Non-cannabis matrix related interference of	or suppression of Internal standard

- BLI Baseline Interference Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
- BLK Analyte detected in method blank, but not associated samples.
- BSH Blank Spike High Blank Spike recovery above method limit. no detections in samples.
- BSL Blank Spike Low Blank Spike recovery below lower method limit, analyte chromatography reviewed
- manually for all samples.
- CBD Interference due to co-elution
- CV1 CBD matrix interference on GC Pest chromatography
- CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
- INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
- ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
- ISL Internal Standard concentration is above acceptance criteria.
- MSH Internal Standard concentration is below acceptance criteria.
- MSI Matrix Spike High Matrix Spike recovery above method limits.
- MSL Matrix Spike Interference Matrix spike source sample contains analyte hit above calibration affecting
- TPP recovery accuracy in Matrix Spike.
- U Matrix Spike Low Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
 - Internal Standard concentration outside control limit due to matrix interference

4= --

Eric Wendt Chief Science Officer - 11/24/2021