



Report Number:	22-000719/D006.R001
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	01/20/22 13:58

This is an amended version of report# 22-000719/D006.R000. Reason: Updated reporting units.

Customer:	IHC LLC
Product identity:	0107SFT304
Client/Metrc ID:	
Laboratory ID:	22-000719-0006

Summary

Summary otency:										
Analyte per 0.6g	Result Limits	Units Status		24.6 mg/0.6g						
CBC per 0.6g [†]	0.173	mg/0.6g								
CBC-A per 0.6g [†]	0.516	mg/0.6g								
CBD per 0.6g	15.3	mg/0.6g	THC-Total per 0.6g	0.222 mg/0.6g						
CBD-A per 0.6g	10.6	mg/0.6g	(Reported in millig							
CBDV per 0.6g⁺	0.123	mg/0.6g		ranis per serving)						
CBDV-A per 0.6g [†]	0.0583	mg/0.6g								
CBE per 0.6g [†]	0.170	mg/0.6g								
CBG per 0.6g [†]	0.0912	mg/0.6g								
CBG-A per 0.6g [†]	0.189	mg/0.6g								
CBN per 0.6g	5.15	mg/0.6g								
CBT per 0.6g⁺	0.143	mg/0.6g								
∆9-THC per 0.6g	0.0684	mg/0.6g								
THC-A per 0.6g	0.175	mg/0.6g								

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Customer:	IHC LLC 825 NW 16th Ave Portland Oregon 97209 United States of America (USA)
Product identity:	0107SFT304
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-000719-0006
Evidence of Cooling:	No
Temp:	20.3 °C
Relinquished by:	Client
Serving Size #1:	0.6 g

Report Number: 22-000719/D006.R001 **Report Date:** 02/08/2022 ORELAP#: OR100028 **Purchase Order:** 01/20/22 13:58 **Received:**



THE HEMP COLLECT

Sample Results

Potency per 0.6g	Method J AOA	C 2015 V98-6 (mod) Units mg/se Ba	tch: 2200630	Analyze: 1/22/22 2:34:00 AM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 0.6g [†]	0.173	mg/0.6g	0.0193	
CBC-A per 0.6g [†]	0.516	mg/0.6g	0.0193	
CBC-Total per 0.6g [†]	0.625	mg/0.6g	0.0361	
CBD per 0.6g	15.3	mg/0.6g	1.93	
CBD-A per 0.6g	10.6	mg/0.6g	1.93	
CBD-Total per 0.6g	24.6	mg/0.6g	3.61	
CBDV per 0.6g [†]	0.123	mg/0.6g	0.0193	
CBDV-A per 0.6g [†]	0.0583	mg/0.6g	0.0193	
CBDV-Total per 0.6g [†]	0.174	mg/0.6g	0.0359	
CBE per 0.6g [†]	0.170	mg/0.6g	0.0193	
CBG per 0.6g [†]	0.0912	mg/0.6g	0.0193	
CBG-A per 0.6g [†]	0.189	mg/0.6g	0.0193	
CBG-Total per 0.6g [†]	0.255	mg/0.6g	0.0359	
CBL per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
CBL-A per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
CBL-Total per 0.6g [†]	< LOQ	mg/0.6g	0.0512	
CBN per 0.6g	5.15	mg/0.6g	0.0193	
CBT per 0.6g [†]	0.143	mg/0.6g	0.0193	
$\Delta 8$ -THCV per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
$\Delta 8$ -THC per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
$\Delta 9$ -THC per 0.6g	0.0684	mg/0.6g	0.0193	
exo-THC per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
THC-A per 0.6g	0.175	mg/0.6g	0.0193	
THC-Total per 0.6g	0.222	mg/0.6g	0.0361	
THCV per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
THCV-A per 0.6g [†]	< LOQ	mg/0.6g	0.0273	
THCV-Total per 0.6g [†]	< LOQ	mg/0.6g	0.0512	
Total Cannabinoids per 0.6g	32.7	mg/0.6g		

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 22-000719/D006.R001

 Report Date:
 02/08/2022

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 01/20/22 13:58

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/0.6g = Milligram per 0.6g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





 Report Number:
 22-000719/D006.R001

 Report Date:
 02/08/2022

 ORELAP#:
 OR100028

 Purchase Order:

Received:

01/20/22 13:58

+ 100		
C	Columbia	Н
	LABORATORIES	
	🕵 A Tentamus Company	

Hemp / Cannabis Usable / Extract / Finished Products

Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021 ORELAP ID: **OR100028**

							A	nalys	is Rec	ueste	d				P	O Number:	
St Cit	IHC Contact: Kyle Farook reet: 431 NW Flanders st. y: Portland) Zip:		s – OR 59 compounds	Pesticide Multi-Residue – 379 compounds		solvents	Moisture & Water Activity		Vicro: Yeast and Mold	Vicro: E. Coli and Total Coliform	etals	us		Projec Pro Custom I Report te	t Number: _ ject Name: _ Reporting: o State I nd time: 	METRC or Conter: 5 Business Day Standard Turnaround 3 Business Day Rush Turnaround* 2 Business Day Rush Turnaround* *Check for availability
Lab ID	Client Sample Identification	Date	Time	Pesticides	Pesticide	Potency	Residual Solvents	Moisture	Terpenes	Micro: Ye	Micro: E.	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/Metrc ID -Samples #6,7,8,9 reported in
1	01WSS200_011822_1 01WSS200_011822_2	1/20 1/20				X X									T		mg_analyte per 0.85g serving
	01LIR209_011722_FV_					x									C		size.
	01LIR209_011722_FR_					x			x						С		-Sample #10 reported in
	01LIR209_011722_TG					x			x						С		mg_analyte per 3.2g serving size.
6	0107SFT304	1/20		-		Х									E		
7	010307SFT304	1/20				Х									E		
8	01SFT304	1/20				Х									E		
9	0103SFT304	1/20				X									E		
10	0103GMY306	1/20				Х									E		
	Relinquished By:	Date	Time			Re	eceived	By:			Da	ate	Tir	ne			Lab Use Only:
Ку	le Farook	1/20	2:00			T	2<		E.		1/20	22	13:	58	Evidence Sample ii Cash	of cooling: E n good condi	or≧Elient drop] Yes) EFNo - Temp (℃): <u>20.3°C</u> tion: Pfres □ No] CC □ Net:

 \dagger - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms

. 12423 NE Whitaker Way Portland, OR 97230 P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com Page _____of____ www.columbialaboratories.com

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-000719/D006.R001
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	

Received:

01/20/22 13:58

5 5.90	
	Columbia
	Columbia
	LABORATORIES
	A Tentamus Company
	-

Hemp / Cannabis Usable / Extract / Finished Products

27-000 719

Chain of Custody Record Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021 ORELAP ID: OR100028

						A	nalys	is Req	ueste	d				P	O Number:	
IHC Contact: Kyle Farook Street: 431 NW Flanders st. City: Portland			ss – OR 59 compounds	Pesticide Multi-Residue – 379 compounds		Residual Solvents	Moisture & Water Activity	8	vicro: Yeast and Mold	vlicro: E.Coli and Total Coliform	letals	dins		Projec Proj Custom F Report to	tt Number: ject Name: Reporting: o State M nd time: 5 3 2	ETRC or Other: Business Day Standard Turnaround Business Day Rush Turnaround* Business Day Rush Turnaround* Check for availability
Lab ID Client Sample Identification 1 01020506SFT304 2 0102030506SFT304 3	Date 1/20 1/20	Time	Pesticides	Pesticide	× × Potency	Residual	Moisture	Terpenes	Micro: Y	Micro: E	Heavy Metals	Mycotoxins	Other:	Sample Type † E E	Weight (Units)	Comments/Metrc ID
4 5 6 7																
8 9 10																-
Relinquished By: Kyle Farook	Date 1/20	Time 2:00				eceived DS	By:				22	Tir 13-		Evidence Sample ir	of cooling: 🗆 n good conditi	Lab Use Only: o^PClient drop Yes ▷₽?No - Temp (°C):

 $\label{eq:constraint} \dagger \mbox{-Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) }$

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms P: (503) 254-1794 | Fax: (503) 254-1452 Page of 12423 NE Whitaker Way www.columbialaboratories.com Portland, OR 97230 info@columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-000719/D006.R001
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	

Received:

01/20/22 13:58

Revision: 1 Document ID: 7148

Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results											
J AOAC 2015 V				Bat	ch ID: 22006	530					
Laboratory Con	ntrol Sample										
Analyte	Result	Spike	Units	% Rec	Limits		Evaluation	Notes			
CBDVA	0.00999	0.01	%	99.9	85.0 -	115	Acceptable				
CBDV	0.00987	0.01	%	98.7	85.0 -	115	Acceptable				
CBE	0.0100	0.01	%	100	85.0 -	115	Acceptable				
CBDA	0.0105	0.01	%	105	85.0 -	115	Acceptable				
CBGA	0.00990	0.01	%	99.0	85.0 -	115	Acceptable				
CBG	0.0101	0.01	%	101	85.0 -	115	Acceptable				
CBD	0.0107	0.01	%	107	85.0 -	115	Acceptable				
THCV	0.0102	0.01	%	102	85.0 -	115	Acceptable				
d8THCV	0.00980	0.01	%	98.0	85.0 -	115	Acceptable				
THCVA	0.00974	0.01	%	97.4	85.0 -	115	Acceptable				
CBN	0.0104	0.01	%	104	85.0 -	115	Acceptable				
exo-THC	0.00939	0.01	%	93.9	85.0 -	115	Acceptable				
d9THC	0.0101	0.01	%	101	85.0 -	115	Acceptable				
d8THC	0.00974	0.01	%	97.4	85.0 -	115	Acceptable				
CBL	0.00946	0.01	%	94.6	85.0 -	115	Acceptable				
CBC	0.0102	0.01	%	102	85.0 -	115	Acceptable				
THCA	0.0102	0.01	%	102	85.0 -	115	Acceptable				
CBCA	0.0101	0.01	%	101	85.0 -	115	Acceptable				
CBLA	0.0101	0.01	%	101	85.0 -	115	Acceptable				
CBT	0.00959	0.01	%	95.9	85.0 -	115	Acceptable				

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-000719/D006.R001
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	

Received:

01/20/22 13:58

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Laboi	ratory (Quality Co	ntrol Results			
J AOAC 2015 V98-6 Batch ID: 2200630									
Sample Duplicate				Sample ID: 22-000664-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBD	0.499	0.495	0.003	%	0.635	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d9THC	0.0252	0.0251	0.003	%	0.524	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		

Abbreviations

- ND None Detected at or above MRL
- RPD Relative Percent Difference
- LOQ Limit of Quantitation

Units of Measure:

% - Percent

Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 22-000719/D006.R001 **Report Date:** 02/08/2022 ORELAP#: OR100028 **Purchase Order: Received:** 01/20/22 13:58

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430