



Report Number: 22-001543/D004.R000

02/16/2022 Report Date: ORELAP#: OR100028

Purchase Order:

02/09/22 16:53 Received:

Customer: IHC LLC

Product identity: 0107LIRTNC200_llama

Client/Metrc ID:

Laboratory ID: 22-001543-0003

Summary

Potenc	·v·
	<i>,</i> , ,

Analyte per 28.5g CBD per 28.5g	Result	Limits	Units mg/28.5g	Status	CBD-Total per 28.5g	1170 mg/28.5g
CBD-A per 28.5g CBN per 28.5g	393 261		mg/28.5g mg/28.5g		THC-Total per 28.5g	<loq< td=""></loq<>
					(Reported in milligra	ms per serving)





Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209

United States of America (USA)

Product identity: 0107LIRTNC200_llama

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-001543-0003

Evidence of Cooling: No
Temp: 25.9 °C
Relinquished by: Client
Serving Size #1: 28.5 g

Report Number: 22-001543/D004.R000

Report Date: 02/16/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 02/09/22 16:53



Sample Results

Potency per 28.5g	Method J AOA	AC 2015 V98-6 (mod) Units mg/se Ba	tch: 2201293	Analyze: 2/14/22 2:36:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBC-A per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBC-Total per 28.5g [†]	< LOQ	mg/28.5g	45.9	
CBD per 28.5g	827	mg/28.5g	24.4	
CBD-A per 28.5g	393	mg/28.5g	24.4	
CBD-Total per 28.5g	1170	mg/28.5g	45.9	
CBDV per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBDV-A per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBDV-Total per 28.5g [†]	< LOQ	mg/28.5g	45.6	
CBE per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBG per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBG-A per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBG-Total per 28.5g [†]	< LOQ	mg/28.5g	45.6	
CBL per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBL-A per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBL-Total per 28.5g [†]	< LOQ	mg/28.5g	45.9	
CBN per 28.5g	261	mg/28.5g	24.4	
CBT per 28.5g [†]	< LOQ	mg/28.5g	24.4	
$\Delta 8\text{-THCV per }28.5 g^{\scriptscriptstyle \dagger}$	< LOQ	mg/28.5g	24.4	
$\Delta 8$ -THC per 28.5g [†]	< LOQ	mg/28.5g	24.4	
$\Delta 9$ -THC per 28.5g	< LOQ	mg/28.5g	24.4	
exo-THC per 28.5g [†]	< LOQ	mg/28.5g	24.4	
THC-A per 28.5g	< LOQ	mg/28.5g	24.4	
THC-Total per 28.5g	< LOQ	mg/28.5g	45.9	
THCV per 28.5g [†]	< LOQ	mg/28.5g	24.4	
THCV-A per 28.5g [†]	< LOQ	mg/28.5g	24.4	
THCV-Total per 28.5g [†]	< LOQ	mg/28.5g	45.9	
Total Cannabinoids per 28.5g	1480	mg/28.5g		





Report Number: 22-001543/D004.R000

Report Date: 02/16/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 02/09/22 16:53

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/28.5g = Milligram per 28.5g % = Percentage of sample $% wt = \mu g/g divided by 10,000$

Approved Signatory

Derrick Tanner General Manager





Report Number: 22-001543/D004.R000

Report Date: 02/16/2022 ORELAP#: OR100028

Purchase Order:

Received: 02/09/22 16:53



Hemp / Cannabis Usable / Extract / Finished Products **Chain of Custody Record**

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021 ORELAP ID: OR100028

						Α	nalys	is Req	ueste	d				P	O Number:	
Company: HC Contact: Kyle Farook Street: 431 NW Flanders St City: Portland State: Email Results: dropbox Ph: (61) 608164 Fx Results Billing (if different): beth@thehe	:()		– OR 59 compounds	Pesticide Multi-Residue – 379 compounds		olvents	Moisture & Water Activity		Vicro: Yeast and Mold	Vicro: E.Coli and Total Coliform	tals	SI		Project Pro Custom I Report to	ct Number: ject Name: Reporting: o State -	IETRC or Other: 5 Business Day Standard Turnaround 8 Business Day Rush Turnaround* 2 Business Day Rush Turnaround* *Check for availability
Lab ID Client Sample Identification	Date	Time	Pesticides	Pesticide I	Potency	Residual Solvents	Moisture	Terpenes	Micro: Ye	Micro: E.C	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/Metrc ID
1 01020506LIATNC200_TG	2/9				Х				_					·		-Samples #1-4, report in mg_analyte per 28.5g (30ml) onit size.
2 0102030506LIRTNC200_TG	2/9				Х									T		report in ma analyte
3 O107LIRTNC200_11ama	2/9				Х									1		The state of the s
4 010307LIRTNC200_Hama	2/9				Х									Т		per 28.5g (30ml)
5 01 FLT112 _ BK	2/9				X									٧		unit size.
6																
7																
8																
9		1	+	1	1											
10			+		1		\vdash									
Relinquished By:	Date	Time			Re	eceived	By:			Da	ate	Tir	ne			Lab Use Only:
Kyle Farook 2/9 4:30 2/a 22 6:53 Shipped Via: Evidence of cooling: □ Yes Sample in good condition: ✓		or □ Client drop Yes □ No - Temp (°C): 25.9 ° C Ion: □ Ves □ No _ CC □ Net: _ CC ∩ Net: _														

† - Sample Type Codes: Vegetation (V); Isolates (S); Extract/Concentrate (C); Tincture/Topical (T); Edible (E); Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms Page of www.columbialaboratories.com P: (503) 254-1794 | Fax: (503) 254-1452 12423 NE Whitaker Way Portland, OR 97230





Report Number: 22-001543/D004.R000

02/16/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 02/09/22 16:53

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V9	AOAC 2015 V98-6 Batch ID: 2201271 / 2201293							
Laboratory Cont	rol Sample							
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes	
CBDVA	0.179	0.2	%	89.5	85.0 - 115	Acceptable		
CBDV	0.199	0.2	%	99.5	85.0 - 115	Acceptable		
CBE	0.190	0.2	%	95.1	85.0 - 115	Acceptable		
CBDA	0.201	0.2	%	101	85.0 - 115	Acceptable		
CBGA	0.182	0.2	%	91.2	85.0 - 115	Acceptable		
CBG	0.190	0.2	%	95.1	85.0 - 115	Acceptable		
CBD	0.202	0.2	%	101	85.0 - 115	Acceptable		
THCV	0.181	0.2	%	90.4	85.0 - 115	Acceptable		
d8THCV	0.192	0.2	%	95.8	85.0 - 115	Acceptable		
THCVA	0.174	0.2	%	87.1	85.0 - 115	Acceptable		
CBN	0.211	0.2	%	106	85.0 - 115	Acceptable		
exo-THC	0.176	0.2	%	87.9	85.0 - 115	Acceptable		
d9THC	0.191	0.2	%	95.6	85.0 - 115	Acceptable		
d8THC	0.181	0.2	%	90.5	85.0 - 115	Acceptable		
CBL	0.176	0.2	%	87.9	85.0 - 115	Acceptable		
CBC	0.186	0.2	%	92.8	85.0 - 115	Acceptable		
THCA	0.191	0.2	%	95.6	85.0 - 115	Acceptable		
CBCA	0.188	0.2	%	93.8	85.0 - 115	Acceptable		
CBLA	0.199	0.2	%	99.3	85.0 - 115	Acceptable		
CBT	0.177	0.2	%	88.7	85.0 - 115	Acceptable		

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 22-001543/D004.R000

02/16/2022 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 02/09/22 16:53

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 VS	98-6				Bato	:h ID: 2201271	. / 2201293	
Sample Duplica	te				Samp	le ID: 22-0015	30-0002	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDV	0.219	0.223	0.1	%	2.05	< 20	Acceptable	
CBE	0.324	0.314	0.1	%	3.09	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBG	0.126	0.121	0.1	%	3.76	< 20	Acceptable	
CBD	33.7	34.5	0.1	%	2.45	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBN	0.171	0.176	0.1	%	2.97	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBC	0.277	0.283	0.1	%	2.12	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBT	0.303	0.363	0.1	%	17.8	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 22-001543/D004.R000

Report Date: 02/16/2022 ORELAP#: OR100028

Purchase Order:

02/09/22 16:53 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.